

# THE GREEN TEAM

www.cnygreenteam.com

## Spec Sheet for TRIAC Dimmable LED Tube

The Green Team's Dimmable LED tube T8 Series



Our Dimmable LED tubes are ETL compliant. The drivers work well with TRIAC dimmers. These T8 LED tube lights are also CE and RoHS certified and use the highest quality components available to deliver a long-lasting and environmentally friendly LED light source.

### Features, Benefits, Performance

- Work well with TRIAC dimmer
- High brightness, uses EPISTAR 2835 LED chip
- High CRI >80Ra, CRI 90Ra available
- 80% reduction in energy consumption
- 50,000hrs lifespan, 5 years warranty
- Vibration and impact resistant
- No mercury allowing for non-hazardous waste materials
- Instant illumination, no flicker, no buzz
- No UV emission




### Parameters


Model	Watts	Length	LED Qty (SMD2835)	Lumen	Voltage	CCT	CRI	PF	Beam Angle
GT-2LT-9W-D	9W	2FT/600mm	48pcs	950-1150lm	100-277VAC	3000-6500K	>80Ra	>0.98	160°
GT-4LT-18W-D	18W	4FT/1200mm	96pcs	1950-2050lm					

### Installation

#### Single End Input





#### Double Ends Input




Structure and Dimensions

1. Internal Structure:




- A. PC cover
- B. LED PCB
- C. D shape aluminum housing
- D. LED driver PC cover
- E. Built-in led driver

2. Dimensions



Packing



Model	Q'ty/CTN	Dimensions (cm)	Gross Weight (KG)
GT-2LT-9W-D	30pcs	70*25*25	6.0
GT-4LT-18W-D	30pcs	130*25*25	9.5

## Applications

---

