



Date: \_\_\_\_\_ Location: \_\_\_\_\_  
 Product: \_\_\_\_\_ Project: \_\_\_\_\_  
 Quantity: \_\_\_\_\_ Catalog #: \_\_\_\_\_

## LED GT-MWP HLV2 Mini Wall Pack Light



Bronze Housing / Clear Lens:

- 8W 5,000K
- 15W 3,000K
- 15W 4,000K



White Housing / Clear Lens:

- 25W 5,000K



Bronze Housing / Frosted Lens:

- 15W 3,000K
- 15W 5,000K

### FEATURES

- IP65 rated
- Easy installation and maintenance
- Corrosion and rust proof
- Semi cut-off
- 50,000 hours lifetime

### SUITABLE APPLICATIONS

- Warehouses
- Stadiums
- Factories
- Parking Lots
- Shopping Malls
- Supermarkets
- Logistic Centers
- Auto dealerships

### CONSTRUCTION:

Heavy die-cast aluminum housing with polyester powder-coated finish. Integral secondary heat sink to optimize thermal transfer and maximize performance of the LEDs.

### OPTICAL SYSTEM:

Philips Lumileds 3030 LED chips. High quality tempered glass optics. 125° beam angle.

### WARRANTY:

5-year limited warranty. Actual performance may differ as a result of end-user environment and application.

### ELECTRICAL:

Available as 110-277V input. -20°C to 50°C, -4°F to 122°F

### Special Order:

- Other CCTs
- Other colors

### INSTALLATION & MOUNTING:

Wall Mounting with quick mount back plate for easy installation.

### CONTROLS & DIMMING:

Non-dimming. Photocell included.




MODEL NUMBER	WATTAGE	LUMENS	EFFICACY	CRI	POWER FACTOR	THD	REPLACES
GT-MWP-8WD50K-HLV2 (Bronze)	8W	1,128LM	141LM/W	70	0.92	20%	30W HID
GT-MWP-15WD30K-HLV2 (Bronze)	15W	2,229.31LM	140.38LM/W	71.7	0.925	16.9%	30W - 50W HID
GT-MWP-15WD40K-HLV2 (Bronze)	15W	2,070LM	138LM/W	70	0.92	20%	30W - 50W HID
GT-MWP-15WD30K-HLV2 (Frosted)	15W	2,229.31LM	140.38LM/W	71.7	0.925	16.9%	30W - 50W HID
GT-MWP-15WD50K-HLV2 (Frosted)	15W	2,115LM	141LM/W	70	0.92	20%	30W - 50W HID
GT-MWP-25WD50K-HLV2 (Bronze)	25W	3,554LM	141LM/W	70	0.92	20%	30W - 50W HID
GT-MWP-25WD50K-HLV2 (White)	25W	3,554LM	141LM/W	70	0.92	20%	30W - 50W HID

# LED GT-MWP HLV2 Mini Wall Pack Light

Series	Wattage	Color Temperature	Style
GT-MWP	8W 15W 25W	3000K 4000K 5000K	HLV2 = High Lumen Version 2


## MEASUREMENTS




MODEL	QUANTITY	WEIGHT	UPC CODE
GT-MWP-8WD50K-HLV2	1	2.10 lbs	00815586025138
GT-MWP-15WD30K-HLV2	1	2.10 lbs	00815586025145
GT-MWP-15WD50K-HLV2	1	2.10 lbs	00815586025169
GT-MWP-25WD50K-HLV2	1	2.10 lbs	00815586025220
GT-MWP-25WD50K-HLV2 (White)	1	2.10 lbs	00815586029051

# PHOTOMETRIC DATA


8W



15W





Flux out: 690.2 lm



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

# PHOTOMETRIC DATA

25W



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

